

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVÝ ODPOR	PRIENA- VOSŤ	HLUK	DB
ETS100	295/60R22.5	16	150/147	L	●	●	D	C	B	73
ETS100	295/80R22.5	16	152/148	M	●	●	D	C	B	73
ETS100	295/80R22.5	18	154/149	M	●	●	D	C	B	73
ETS100	315/60R22.5	16	152/148	L	●	●	D	C	B	73
ETS100	315/60R22.6	18	154/150(152/148)	L(M)	●	●	D	C	B	73
ETS100	315/70R22.5	16	154/150(152/148)	L(M)	●	●	D	C	B	73
ETS100	315/70R22.5	18	156/150(154/150)	L(M)	●	●	D	C	B	73
ETS100	315/80R22.5	18	154/150	M	●	●	D	C	B	73
ETS100	315/80R22.5	20	156/150(154/150)	L(M)	●	●	D	C	B	73
ETS100	315/80R22.5	22	158/150(154/150)	L(M)	●	●	D	C	B	73
ETS100	385/55R22.5	18	158	L	●	●	D	C	B	73
ETS100	385/55R22.5	20	160(158)	K(L)	●	●	D	C	B	73
ETD100	295/80R22.5	16	152/148	M	●	●	C	C	B	75
ETD100	295/60R22.5	16	150/147	L	●	●	D	C	B	75
ETD100	315/80R22.5	18	154/150	M	●	●	C	C	B	75
ETD100	315/80R22.5	20	156/150(154/150)	L(M)	●	●	C	C	B	75
ETD100	315/70R22.5	16	154/150(152/148)	L(M)	●	●	C	C	B	75
ETD100	315/70R22.5	18	156/150(154/150)	L(M)	●	●	C	C	B	75
ETD100	315/60R22.5	16	152/148	L	●	●	C	C	B	75
ETT100	445/45R19.5	18	156	J	●	●	C	C	B	73
ETT100	445/45R19.5	20	160	J	●	●	C	C	B	73
ETT100	435/50R19.5	18	156	J	●	●	C	C	B	73
ETT100	435/50R19.5	20	160	J	●	●	C	C	B	73
ETT100	425/65R22.5	20	165	K	●	●	C	C	B	73
ETT100	385/65R22.5	20	160(158)	K(L)	●	●	C	C	B	73
ETT100	385/65R22.5	24	164(158)	K(L)	●	●	C	C	B	73
ETT100	385/55R22.5	18	158	L	●	●	C	C	B	73
ETT100	385/55R22.5	20	160(158)	K(L)	●	●	C	C	B	73
ETT100	385/55R19.5	18	156	J	●	●	C	C	B	73
T820	445/45R19.5	18	156	J	●	●	D	C	B	73
T820	445/45R19.5	20	160	J	●	●	D	C	B	73
T820	435/50R19.5	18	156	J	●	●	D	C	B	73
T820	435/50R19.5	20	160	J	●	●	D	C	B	73
T820	385/55R19.5	18	156	J	●	●	D	C	B	73
T830	385/55R22.5	20	160(158)	J(L)	●	●	D	B	B	73
F820	205/75R17.5	14	124/122	M	●	●	D	C	B	72
F820	245/70R19.5	14	133/131	M	●	●	D	C	B	71
F820	245/70R19.5	16	136/134	M	●	●	D	C	B	71

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVÝ ODPOR	PRIENA- VOST	HLUK	DB
LDL831	245/70R17.5	14	134/132	M	●	●	E	C	B	73
LDL831	245/70R17.5	16	136/134	M	●	●	E	C	B	73
LDL831	245/70R17.5	18	143/141	J	●	●	E	C	B	73
LDL831	235/75R17.5	14	132/130	M	●	●	E	C	B	73
LDL831	235/75R17.5	16	141/140	J	●	●	E	C	B	73
LDL831	235/75R17.5	18	143/141	J	●	●	E	C	B	73
LDL831	215/75R17.5	14	126/124	M	●	●	E	C	B	73
LDL831	215/75R17.5	16	135/133	J	●	●	E	C	B	73
LFL866	205/65R17.5	16	"129/127 (132/132)"	J(G)	●	●	D	B	B	72
LFL866	215/75R17.5	14	126/124	M	●	●	D	B	B	72
LFL866	215/75R17.5	16	135/133	J	●	●	D	B	B	72
LFL866	235/75R17.5	14	132/130	M	●	●	D	B	B	72
LFL866	235/75R17.5	16	141/140	J	●	●	D	B	B	72
LFL866	235/75R17.5	18	143/141	J	●	●	D	B	B	72
LFL866	245/70R17.5	14	134/132	M	●	●	D	B	B	72
LFL866	245/70R17.5	16	136/134	M	●	●	D	B	B	72
LFL866	245/70R17.5	18	143/141	J	●	●	D	B	B	72
KLS200	245/70R19.5	14	133/131	M	●	●	D	B	B	73
KLS200	215/75R17.5	14	126/124	M	●	●	D	B	B	73
KLS200	215/75R17.5	16	135/133	J	●	●	D	B	B	73
KLS200	225/75R17.5	12	126/125	M	●	●	D	B	B	73
KLS200	225/75R17.5	14	129/127	M	●	●	D	B	B	73
KLS200	235/75R17.5	14	132/130	M	●	●	D	B	B	73
KLS200	235/75R17.5	16	141/140	J	●	●	D	B	B	73
KLS200	235/75R17.5	18	143/141	J	●	●	D	B	B	73
KLS200	245/70R17.5	14	134/132	M	●	●	D	B	B	73
KLS200	245/70R17.5	16	136/134	M	●	●	D	B	B	73
KLS200	245/70R17.5	18	143/141	J	●	●	D	B	B	73
KLS200	245/70R19.5	12	129/127	M	●	●	D	B	B	73
KLS200	245/70R19.5	14	133/131	M	●	●	D	B	B	73
KLS200	245/70R19.5	16	136/134	M	●	●	D	B	B	73
LLA78	235/75R17.5	14	132/130	M	●	●	E	B	B	73
LLA78	235/75R17.5	16	141/140	J	●	●	E	B	B	73
LLA78	235/75R17.5	18	143/141	J	●	●	E	B	B	73
LLF26	9.5R17.5	14	129/127	M	●	●	E	C	B	71
LLF26	9.5R17.5	18	143/141	M/J	●	●	E	C	B	71
LLF86	215/75R17.5	14	126/124	L/M	●	●	E	B	B	72
LLF86	215/75R17.5	16	135/133	J/L	●	●	E	B	B	72

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVÝ ODPOR	PRIEĽNA- VOSŤ	HLUK	DB
LFL827	385/65R22.5	20	160	J	●		D	C	B	73
LFL827	385/65R22.5	20	160(158)	K(L)	●		D	C	B	73
LFL827	385/65R22.5	24	164	J	●		D	C	B	73
LLF56+	10R22.5	14	144/142	L	●		D	C	B	72
F805	275/70R22.5	16	145/145	M			D	C	B	73
F820	255/70R22.5	14	136/133	M	●	●	D	C	B	72
F820	255/70R22.5	16	140/137	M	●	●	D	C	B	72
F820	265/70R19.5	14	136/134	M	●	●	D	C	B	72
F820	265/70R19.5	16	140/138	M	●	●	D	C	B	72
F820	265/70R19.5	18	143/141	J	●	●	D	C	B	72
F820	275/70R22.5	16	148/145	M	●	●	D	C	B	72
F820	275/70R22.5	18	150/148	M	●	●	D	C	B	72
F820	285/70R19.5	16	144/142	M	●	●	D	C	B	73
F820	285/70R19.5	18	146/144	M	●	●	D	C	B	73
F820	285/70R19.5	18	150/147	J	●	●	D	C	B	73
F860	295/80R22.5	16	152/148	M	●		D	A	B	73
F860	295/80R22.5	18	154/149	M	●		D	A	B	73
LFL185	295/80R22.5	16	152/148	M			D	B	B	73
LFL185	295/80R22.5	18	154/149	L			D	B	B	73
LTL812	315/80R22.5	18	154/150	M	●		D	B	A	70
LTL812	315/80R22.5	20	156/150	M	●		D	B	A	70
LTL812	315/70R22.5	18	156/150(154/150)	L(M)	●		D	B	A	70
LTL812	295/80R22.5	16	152/148	M	●		D	B	A	70
LTL812	295/80R22.5	18	154/149	M	●		D	B	A	70
KLS200	265/70R19.5	14	136/134	M	●	●	D	B	B	73
KLS200	265/70R19.5	16	140/138	M	●	●	D	B	B	73
KLS200	265/70R19.5	18	143/141	J	●	●	D	B	B	73
KLS200	285/70R19.5	18	146/144	M	●	●	D	B	B	73
KLS200	285/70R19.5	18	150/148	J	●	●	D	B	B	73
KLS200	305/70R19.5	16	144/141	M	●	●	D	B	B	73
KLS200	305/70R19.5	18	146/143	M	●	●	D	B	B	73
KLS200	305/70R19.5	18	148/145	M	●	●	D	B	B	73
KTS300	295/60R22.5	16	150/147	L	●	●	C	C	B	73
KTS300	295/80R22.5	18	154/149	M	●	●	C	C	B	73
KTS300	295/80R22.5	16	152/148	M	●	●	C	C	B	73
KTS300	315/60R22.5	16	152/148	L	●	●	C	C	B	73
KTS300	315/60R22.5	18	154/150(152/148)	L(M)	●	●	C	C	B	73
KTS300	315/70R22.5	16	154/150(152/148)	L(M)	●	●	C	C	B	73

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVY ODPOR	PRIEĽNA- VOST	IHLUK	DB
KTS300	315/70R22.5	18	156/150(154/150)	L(M)	●	●	C	C	B	73
KTS300	315/80R22.5	20	156/150(154/150)	L(M)	●	●	C	C	B	73
KTS300	315/80R22.5	22	158/150(154/150)	L(M)	●	●	C	C	B	73
KTS300	385/55R22.5	18	158	L	●	●	C	C	B	73
KTS300	385/55R22.5	20	160(158)	K(L)	●	●	C	C	B	73
KTS300	385/65R22.5	20	160(158)	K(L)	●	●	C	C	B	73
KTS300	385/65R22.5	24	164(158)	K(L)	●	●	C	C	B	73
LLF01	275/80R22.5	16	149/146	M			D	B	B	73
LLF02	315/80R22.5	18	154/150	M	●		D	B	B	73
LLF02	315/80R22.5	20	156/150	L	●		D	B	B	73
LLF02	295/80R22.5	16	152/148	M	●		D	B	B	73
LLF02	295/80R22.5	18	154/149	M	●		D	B	B	73
D905	295/80R22.5	16	152/148	M	●	●	D	C	B	73
D905	285/70R19.5	16	140/137	M	●	●	E	C	B	73
D905	285/70R19.5	18	146/144	M	●	●	E	C	B	73
D905	285/70R19.5	18	150/148	J	●	●	E	C	B	73
D905	275/70R22.5	16	148/145	M	●	●	E	C	B	73
LDL831	315/80R22.5	18	154/150	L	●	●	E	C	B	73
LDL831	315/80R22.5	20	156/150	L	●	●	E	C	B	73
LDL831	295/80R22.5	16	152/148	L	●	●	E	C	B	73
LDL831	285/70R19.5	16	140/137	M	●	●	D	C	B	73
LDL831	285/70R19.5	18	146/144	M	●	●	D	C	B	73
LDL831	285/70R19.5	18	150/148	J	●	●	D	C	B	73
KLD200	215/75R17.5	14	126/124	M	●	●	D	C	B	73
KLD200	225/75R17.5	12	126/125	M	●	●	D	C	B	73
KLD200	225/75R17.5	14	129/127	M	●	●	D	C	B	73
KLD200	235/75R17.5	14	132/130	M	●	●	D	C	B	73
KLD200	245/70R17.5	14	134/132	M	●	●	D	C	B	73
KLD200	245/70R17.5	16	136/134	M	●	●	D	C	B	73
KLD200	245/70R19.5	12	129/127	M	●	●	D	C	B	73
KLD200	245/70R19.5	14	133/131	M	●	●	D	C	B	73
KLD200	245/70R19.5	16	136/134	M	●	●	D	C	B	73
KLD200	265/70R19.5	14	136/134	M	●	●	D	C	B	73
KLD200	265/70R19.5	16	140/138	M	●	●	D	C	B	73
KLD200	285/70R19.5	18	146/144	M	●	●	D	C	B	73
KLD200	305/70R19.5	16	144/141	M	●	●	D	C	B	73
KLD200	305/70R19.5	18	146/143	M	●	●	D	C	B	73
KLD200	305/70R19.5	18	148/145	M	●	●	D	C	B	73

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVY/ODPOR	PRIĽNA-VOST	H.LUK	DB
KTD300	295/60R22.5	16	150/147	L	●	●	E	B	B	75
KTD300	295/80R22.5	16	152/148	M	●	●	E	B	B	75
KTD300	315/60R22.5	16	152/148	L	●	●	E	B	B	75
KTD300	315/70R22.5	16	154/150(152/148)	L(M)	●	●	E	B	B	75
KTD300	315/70R22.5	18	156/150(154/150)	L(M)	●	●	E	B	B	75
KTD300	315/80R22.5	18	154/150	M	●	●	E	B	B	75
KTD300	315/80R22.5	20	156/150(154/150)	L(M)	●	●	E	B	B	75
LTL863	385/55R22.5	18	158	L	●	●	D	B	B	73
LTL863	385/55R22.5	20	160(158)	J(L)	●	●	D	B	B	73
LTL863	385/65R22.5	20	160(158)	J(L)	●	●	D	B	B	73
LTL863	385/65R22.5	24	164	J	●	●	D	B	B	73
LTL863	445/65R22.5	20	169	J	●	●	D	B	B	73
KLT200	205/65R17.5	16	*129/127(132/132)*	J(G)	●	●	D	B	B	72
KLT200	215/75R17.5	16	135/133	J	●	●	D	B	B	72
KLT200	235/75R17.5	16	141/140	J	●	●	D	B	B	72
KLT200	235/75R17.5	18	143/141	J	●	●	D	B	B	72
KLT200	245/70R17.5	18	143/141	J	●	●	D	B	B	72
LLA18	385/65R22.5	18	158	K	●	●	D	C	B	73
LLA18	385/65R22.5	20	160	J	●	●	D	C	B	73
LLA18	385/65R22.5	24	164	J	●	●	D	C	B	73
LLA28	425/65R22.5	20	165	J	●	●	D	B	B	73
T820	305/70R19.5	18	148/145	M	●	●	D	C	B	73
KMA400	445/65R22.5	20	169	J/K	●	●	D	B	B	73
KMA400	425/65R22.5	20	165	K	●	●	D	B	B	73
KMA400	315/80R22.5	18	154/150	K	●	●	D	B	B	73
KMA400	315/80R22.5	20	156/150	K	●	●	D	B	B	73
KMA400	315/80R22.5	22	158/150	K	●	●	D	B	B	73
KMA400	295/80R22.5	16	152/148	K	●	●	D	B	B	73
KMA400	13R22.5	18	156/150	K	●	●	D	B	B	73
KMA400	13R22.5	20	158/156	K	●	●	D	B	B	73
KXA400	425/65R22.5	20	165	K	●	●	D	C	B	73
KXA400	385/65R22.5	18	158	L	●	●	D	C	B	73
KXA400	385/65R22.5	20	160(158)	K(L)	●	●	D	C	B	73
KXA400	385/65R22.5	24	164	J	●	●	D	C	B	73
LLA01	13R22.5	18	156/150	K	●	●	D	A	B	72
LLA08	315/80R22.5	18	154/150	M	●	●	D	B	B	73
LLA08	315/80R22.5	20	156/150	L	●	●	D	B	B	73
LLA08	12R22.5	16	152/148	K	●	●	D	B	B	73

DEZÉN	ROZMER	PR	LI	SI	M+S	3PMSF	EU LABELING			
							VALIVÝ ODPOR	PRIENA- VOST	HLUK	DB
LLA08	12.00R24	18	156/153	MK	●	●	D	B	B	73
LLA08	12.00R24	20	160/156	K	●	●	D	B	B	73
LLA08	12.00R20	18	154/151	K	●	●	D	B	B	73
LLA08	11R22.5	16	148/145	K	●	●	D	B	B	73
LLA38	385/55R22.5	18	158	K	●	●	D	B	B	73
LLA38	385/55R22.5	20	160	K	●	●	D	B	B	73
LLA38	385/65R22.5	20	160	K	●	●	D	B	B	73
LLA38	385/65R22.5	24	164	J	●	●	D	B	B	73
LLA38	425/65R22.5	20	165	J	●	●	D	B	B	73
LLA38	445/65R22.5	20	169	J	●	●	D	B	B	73
D960	315/80R22.5	18	154/150	M	●	●	D	B	B	75
D960	315/80R22.5	20	156/150	L	●	●	D	B	B	75
D960	13R22.5	18	156/150	K	●	●	D	B	B	75
D960	12.00R20	18	154/151	K	●	●	D	B	B	75
KMD406	315/80R22.5	20	156/150	K	●	●	D	B	B	73
KMD406	13R22.5	18	156/150	K	●	●	D	B	B	73
LDW807	315/80R22.5	18	154/150	M	●	●	D	C	B	73
LDW807	315/80R22.5	20	156/150	L	●	●	D	C	B	73
LDW807	315/70R22.5	16	154/150	L	●	●	D	C	B	73
LDW807	295/80R22.5	16	152/148	K	●	●	D	C	B	73
KWD600	315/80R22.5	18	154/150	M	●	●	D	B	B	74
KWD600	315/80R22.5	20	156/150(154/150)	L(M)	●	●	D	B	B	74
KWD600	315/70R22.5	16	154/150(152/148)	L(M)	●	●	D	B	B	74
KWD600	315/70R22.5	18	156/150(154/150)	L(M)	●	●	D	B	B	74
KWD600	295/80R22.5	16	152/148	M	●	●	D	B	B	74
KWT600	385/65R22.5	20	160(158)	K(L)	●	●	D	A	B	72
KWT600	385/65R22.5	24	164(158)	K(L)	●	●	D	A	B	72
KWT600	385/55R22.5	18	158	L	●	●	D	A	B	72
KWT600	385/55R22.5	20	160(158)	K(L)	●	●	D	A	B	72
LAU609	275/70R22.5	16	148/145	J	●	●	D	B	B	73